





- Aerated flow rate ~7 gpm @45 psi
- Handshower flow rate ≤1.5 max gpm
- Deck-mounted handshower and diverter set included
- Optional in-line pressure balancing valve

G-6751-C19B-T Harley Series











- 3/4" male NPT inlets
- Quick connect tub spout



24K Gold



24K Brushed Gold



Gold with Onyx PVD



24K Brushed Brushed Brass Architectural PVD



Black™



Brushed Nickel



Brushed Onyx **PVD**®



Gunmetal









Matte Black Olive Bronze Onyx PVD® Polished Brass PVD



Polished Chrome



Polished Chrome with Onyx PVD Accents



Polished Nickel



Polished Nickel with Onyx PVD Accents








Product Features

- 3/4" male NPT inlets
- Quick connect tub spout

Warranty

Limited lifetime warranty

For complete warranty information go to: www.graff-faucets.com/en/info/faqs









• Durable diverter valve



24K Gold





Gold



Gold with Onyx PVD



PVD



24K Brushed 24K Brushed Brushed Brass Architectural Black™



Brushed Nickel



Brushed Onyx Gunmetal **PVD®**











Matte Black Olive Bronze Onyx PVD® Polished Brass PVD



Polished Chrome



Polished Chrome with Onyx PVD Accents



Polished Nickel



Polished Nickel with Onyx PVD Accents





Product Features


Durable diverter valve



Warranty

Limited lifetime warranty

For complete warranty information go to: www.graff-faucets.com/en/info/faqs





G-6156-C19B




Information

- Matches G-6750-*** Roman tub set
- · Handshower hose included





G-6156-C19B-T Harley Series








• Matching deck-mounted handshower and diverter set available





G-6750-C19B-T Harley Series



Roman Tub Trim set is designed to operate with rough G-1037

